Załącznik nr 11
do uchwały Nr LXXIV/947/09
Rady Miasta Krakowa z dnia 3 czerwca 2009 r.

Układ informacji i powiązań między nimi w deklaracji DN-1 Deklaracja na podatek od nieruchomości na rok 2009 w formacie danych XML

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/">
<template xmlns="http://www.xfa.org/schema/xfa-template/2.5/"
baseProfile="interactiveForms">
    <subform layout="tb" locale="pl_PL" name="topmostSubform">
        <pageSet>
            <pageArea id="PageArea1" name="PageArea1">
            <field name="pole1_NIP" >
              <ui>
                <textEdit hScrollPolicy="off">
                    <comb numberOfCells="10"/>
                    <margin/>
                </textEdit>
              </ui>
              <value>
                <text maxChars="10"/>
              </event>
            </field>
            <field name="pole10_REGON">
              <ui>
                <textEdit hScrollPolicy="off">
                    <comb numberOfCells="10"/>
                    <margin/>
                </textEdit>
              </ui>
              <value>
                <text maxChars="10"/>
              </value>
            </field>
            <field name="pole11_PESEL" >
              <ui>
                <textEdit hScrollPolicy="off">
                    <comb numberOfCells="11"/>
                    <margin/>
                </textEdit>
              </ui>
            <field name="P5_1">
              <ui>
                </checkButton>
              </ui>
              <value>
                <text>Off</text>
              </value>
              <items>
                <text>Tak</text>
                 <text>Off</text>
                <items>
            <field name="P5_3">
              <ui>
                </checkButton>
              </ui>
              <value>
                <text>Off</text>
              </value>
              <items>
                <text>Tak</text>
                <text>Off</text>
```

```xml
        </items>
    <field name="P5_5">
      <ui>
          </checkButton>
      </ui>
      <value>
          <text>Off</text>
      </value>
      <items>
          <text>Tak</text>
          <text>Off</text>
      </items>
    <field name="P5_2">
      <ui>
          </checkButton>
      </ui>
      <value>
          <text>Off</text>
      </value>
      <items>
          <text>Tak</text>
          <text>Off</text>
      </items>
    <field name="P5_4">
      <ui>
          </checkButton>
      </ui>
      <value>
          <text>Off</text>
      </value>
      <items>
          <text>Tak</text>
          <text>Off</text>
      </items>
    <field name="P5_2_miesiac_rok">
      <ui>
          <comb numberOfCells="6"/>
          </textEdit>
      </ui>
      <value>
          <text maxChars="6"/>
      </value>
    <field name="P5_5_miesiac_rok">
      <ui>
          <comb numberOfCells="6"/>
          </textEdit>
      </ui>
      <value>
          <text maxChars="6"/>
      </value>
    <field name="P6_1">
      <ui>
          </checkButton>
      </ui>
      <value>
          <text>Off</text>
      </value>
      <items>
          <text>Tak</text>
          <text>Off</text>
      </items>
    <field name="P6_2">
      <ui>
          </checkButton>
      </ui>
      <value>
          <text>Off</text>
```

```xml
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
<field name="P6_3">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_6">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_8">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_5">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_7">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_4">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
```

```xml
            <text>Tak</text>
            <text>Off</text>
         </items>
      <field name="P7_1">
         <ui>
            </checkButton>
         </ui>
         <value>
            <text>Off</text>
         </value>
         <items>
            <text>Tak</text>
            <text>Off</text>
         </items>
      <field name="P7_2">
         <ui>
            </checkButton>
         </ui>
         <value>
            <text>Off</text>
         </value>
         <items>
            <text>Tak</text>
            <text>Off</text>
         </items>
      <field name="P7_3">
         <ui>
            </checkButton>
         </ui>
         <value>
            <text>Off</text>
         </value>
         <items>
            <text>Tak</text>
            <text>Off</text>
         </items>
      <field name="P7_4">
         <ui>
            </checkButton>
         </ui>
         <value>
            <text>Off</text>
         </value>
         <items>
            <text>Tak</text>
            <text>Off</text>
         </items>
      <field name="pole8">
         <ui>
            </textEdit>
         </ui>
      </field>
      <field name="pole9">
         <ui>
            </textEdit>
         </ui>
      </field>
      <field name="pole13_NBR">
         <ui>
               <comb numberOfCells="26"/>
            </textEdit>
         </ui>
         <value>
            <text maxChars="26"/>
         </value>
      </field>
      <field name="pole12">
```

```xml
        <ui>
              <comb numberOfCells="11"/>
          </textEdit>
        </ui>
        <value>
          <text maxChars="11"/>
        </value>
    </field>
     <field access="readOnly" name="pole3_ROK">
        <ui>
              <comb numberOfCells="4"/>
          </textEdit>
        </ui>
        <value>
          <text maxChars="4">2009</text>
        </value>
    </field>

    <?templateDesigner expand 1?></subform>
<subform name="Page2">

     <field name="pole22">
        <ui>
          <textEdit hScrollPolicy="off">
          </textEdit>
        </ui>
    </field>
     <field name="pole23">
        <ui>
          <textEdit hScrollPolicy="off">
          </textEdit>
        </ui>
    </field>
     <field name="pole18">
        <ui>
          <textEdit hScrollPolicy="off">
          </textEdit>
        </ui>
    </field>
     <field name="pole19">
        <ui>
          <textEdit hScrollPolicy="off">
          </textEdit>
        </ui>
    </field>
     <field name="pole22">
         <ui>
          <textEdit hScrollPolicy="off">
          </textEdit>
        </ui>
    </field>
     <field name="pole21">
        <ui>
          <textEdit hScrollPolicy="off">
          </textEdit>
        </ui>
    </field>
     <field name="pole24">
        <ui>
          <textEdit hScrollPolicy="off">
          </textEdit>
        </ui>
    </field>
     <field name="pole15">
        <ui>
          <textEdit hScrollPolicy="off">
          </textEdit>
```

```xml
        </ui>
    </field>
    <field name="pole16">
        <ui>
            <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
    <field name="pole17">
        <ui>
            <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
    <field name="pole32">
        <ui>
            <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
    <field name="pole33">
        <ui>
            <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
    <field name="pole28">
        <ui>
            <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
    <field name="pole29">
        <ui>
            <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
    <field name="pole30">
        <ui>
            <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
    <field name="pole31">
        <ui>
            <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
    <field name="pole34">
        <ui>
            <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
    <field name="pole25">
        <ui>
            <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
    <field name="pole26">
        <ui>
            <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
```

```xml
        </field>
         <field name="pole27">
           <ui>
              <textEdit hScrollPolicy="off">
              </textEdit>
           </ui>
        </field>
         <field name="pole35">
           <ui>
              <textEdit hScrollPolicy="off">
              </textEdit>
           </ui>
        </field>
         <field name="pole36">
           <ui>
              <numericEdit hScrollPolicy="off">
              </numericEdit>
           </ui>
           <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
           </format>
        </field>
         <field name="pole37" presence="hidden">
           <ui>
              <numericEdit hScrollPolicy="off">
              </numericEdit>
           </ui>
           <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
           </format>
           <value>
              <float>0,67</float>
           </value>
        </field>
         <field name="pole38">
           <ui>
              <numericEdit hScrollPolicy="off">
              </numericEdit>
           </ui>
           <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
           </format>
           <calculate>
              <script contentType="application/x-javascript">this.rawValue =
pole36.rawValue * pole37.rawValue;</script>
           </calculate>
        </field>
         <field name="pole39">
           <ui>
              <numericEdit hScrollPolicy="off">
              </numericEdit>
           </ui>
           <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
           </format>
        </field>
         <field name="pole40" presence="hidden">
           <ui>
              <numericEdit hScrollPolicy="off">
              </numericEdit>
           </ui>
           <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
           </format>
           <value>
              <float>0,35</float>
           </value>
```

```xml
    </field>
    <field name="pole41">
      <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
      <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole39.rawValue * pole40.rawValue;</script>
      </calculate>
    </field>
    <field name="pole42">
      <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
    </field>
    <field name="pole44" presence="hidden">
      <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
      <value>
        <float>0,35</float>
      </value>
    </field>
    <field name="pole44">
      <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
      <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole43.rawValue * pole42.rawValue;</script>
      </calculate>
    </field>
    <field name="pole45">
      <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
    </field>
    <field name="pole46">
      <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
      <value>
        <float>0,60</float>
      </value>
```

```xml
<field name="pole47">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole46.rawValue * pole45.rawValue;</script>
  </calculate>
</field>
<field name="pole48">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole49" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,23</float>
  </value>
</field>
<field name="pole50">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole49.rawValue * pole48.rawValue;</script>
  </calculate>
</field>
<field name="pole51">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole52" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>3,71</float>
  </value>
```

```xml
        </field>
         <field name="pole53">
           <ui>
              <numericEdit hScrollPolicy="off">
              </numericEdit>
           </ui>
           <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
           </format>
           <calculate>
              <script contentType="application/x-javascript">this.rawValue =
pole52.rawValue * pole51.rawValue;</script>
           </calculate>
        </field>
         <field name="pole54">
           <ui>
              <numericEdit hScrollPolicy="off">
              </numericEdit>
           </ui>
           <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
           </format>
        </field>
         <field name="pole55" presence="hidden">
           <ui>
              <numericEdit hScrollPolicy="off">
              </numericEdit>
           </ui>
           <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
           </format>
           <value>
              <float>0,23</float>
           </value>
        </field>
         <field name="pole56">
           <ui>
              <numericEdit hScrollPolicy="off">
              </numericEdit>
           </ui>
           <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
           </format>
           <calculate>
              <script contentType="application/x-javascript">this.rawValue =
pole55.rawValue * pole54.rawValue;</script>
           </calculate>
        </field>
         <field name="pole57">
           <ui>
              <numericEdit hScrollPolicy="off">
              </numericEdit>
           </ui>
           <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
           </format>
        </field>
         <field name="pole58" presence="hidden">
           <ui>
              <numericEdit hScrollPolicy="off">
           </ui>
           <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
           </format>
           <value>
              <float>0,56</float>
           </value>
        </field>
```

```xml
<field name="pole59">
    <ui>
       <numericEdit hScrollPolicy="off">
       </numericEdit>
    </ui>
    <format>
       <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
       <script contentType="application/x-javascript">this.rawValue =
pole58.rawValue * pole57.rawValue;</script>
    </calculate>
</field>
 <field name="pole60">
    <ui>
       <numericEdit hScrollPolicy="off">
       </numericEdit>
    </ui>
    <format>
       <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
 <field name="pole61" presence="hidden">
    <ui>
       <numericEdit hScrollPolicy="off">
       </numericEdit>
    </ui>
    <format>
       <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
       <float>18,65</float>
    </value>
</field>
 <field name="pole62">
    <ui>
       <numericEdit hScrollPolicy="off">
       </numericEdit>
    </ui>
    <format>
       <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
       <script contentType="application/x-javascript">this.rawValue =
pole61.rawValue * pole60.rawValue;</script>
    </calculate>
</field>

    <?templateDesigner expand 1?></subform>
<subform h="842pt" name="Page3">
    <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
    <bind match="none"/>

 <field name="pole63">
    <ui>
       <numericEdit hScrollPolicy="off">
       </numericEdit>
    </ui>
    <format>
       <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
 <field name="pole64" presence="hidden">
    <ui>
       <numericEdit hScrollPolicy="off">
       </numericEdit>
    </ui>
```

```xml
            <format>
               <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
            <value>
               <float>19,01</float>
            </value>
        </field>
         <field name="pole65">
            <ui>
               <numericEdit hScrollPolicy="off">
               </numericEdit>
            </ui>
            <format>
               <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
            <para hAlign="right" vAlign="middle"/>
            <font typeface="Helvetica"/>
            <calculate>
               <script contentType="application/x-javascript">this.rawValue =
pole64.rawValue * pole63.rawValue;</script>
            </calculate>
        </field>


         <field name="pole66">
            <ui>
               <numericEdit hScrollPolicy="off">
               </numericEdit>
            </ui>
            <format>
               <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
        </field>

         <field name="pole67" presence="hidden">
            <ui>
               <numericEdit hScrollPolicy="off">
               </numericEdit>
            </ui>
            <format>
               <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
            <value>
               <float>9,90</float>
            </value>
        </field>
         <field name="pole68">
            <ui>
               <numericEdit hScrollPolicy="off">
               </numericEdit>
            </ui>
            <format>
               <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
            <calculate>
               <script contentType="application/x-javascript">this.rawValue =
pole67.rawValue * pole66.rawValue;</script>
            </calculate>
        </field>
         <field name="pole69">
            <ui>
               <numericEdit hScrollPolicy="off">
               </numericEdit>
            </ui>
```

```xml
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
      </field>
      <field name="pole70" presence="hidden">
        <ui>
           <numericEdit hScrollPolicy="off">
           </numericEdit>
        </ui>
        <format>
           <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
           <float>9,50</float>
        </value>
      </field>
      <field name="pole71">
        <ui>
           <numericEdit hScrollPolicy="off">
           </numericEdit>
        </ui>
        <format>
           <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
           <script contentType="application/x-javascript">this.rawValue =
pole70.rawValue * pole69.rawValue;</script>
        </calculate>
      </field>
      <field name="pole72">
        <ui>
           <numericEdit hScrollPolicy="off">
           </numericEdit>
        </ui>
        <format>
           <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
      </field>
      <field name="pole73" presence="hidden">
        <ui>
           <numericEdit hScrollPolicy="off">
           </numericEdit>
        </ui>
        <format>
           <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
           <float>16,16</float>
        </value>
      </field>
      <field name="pole74">
        <ui>
           <numericEdit hScrollPolicy="off">
           </numericEdit>
        </ui>
        <format>
           <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
           <script contentType="application/x-javascript">this.rawValue =
pole73.rawValue * pole72.rawValue;</script>
        </calculate>
      </field>
      <field name="pole75">
        <ui>
```

```xml
            <numericEdit hScrollPolicy="off">
            </numericEdit>
         </ui>
         <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
         </format>
      </field>
      <field name="pole76" presence="hidden">
         <ui>
            <numericEdit hScrollPolicy="off">
            </numericEdit>
         </ui>
         <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
         </format>
         <value>
            <float>8,84</float>
         </value>
      </field>
      <field name="pole77">
         <ui>
            <numericEdit hScrollPolicy="off">
            </numericEdit>
         </ui>
         <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
         </format>
         <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole76.rawValue * pole75.rawValue;</script>
         </calculate>
      </field>
      <field name="pole8">
         <ui>
            <numericEdit hScrollPolicy="off">
            </numericEdit>
         </ui>
         <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
         </format>
      </field>
      <field name="pole79" presence="hidden">
         <ui>
            <numericEdit hScrollPolicy="off">
            </numericEdit>
         </ui>
         <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
         </format>
         <value>
            <float>1,97</float>
         </value>
      </field>
      <field name="pole80">
         <ui>
            <numericEdit hScrollPolicy="off">
            </numericEdit>
         </ui>
         <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
         </format>
         <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole79.rawValue * pole78.rawValue;</script>
         </calculate>
      </field>
```

```xml
<field name="pole81">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
</field>
<field name="pole82" presence="hidden">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
   <value>
      <float>5,49</float>
   </value>
</field>
<field name="pole83">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
   <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole82.rawValue * pole81.rawValue;</script>
   </calculate>
</field>
<field name="pole84">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
</field>
<field name="pole85" presence="hidden">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
   <value>
      <float>5,49</float>
   </value>
</field>
<field name="pole86">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
   <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole85.rawValue * pole84.rawValue;</script>
   </calculate>
</field>
```

```xml
<field name="pole87">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
</field>
<field name="pole88" presence="hidden">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
   <value>
      <float>0,02</float>
   </value>
</field>
<field name="pole89">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
   <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole88.rawValue * pole89.rawValue;</script>
   </calculate>
</field>
<field name="pole90">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
</field>
<field name="pole91" presence="hidden">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
   <value>
      <float>0,002</float>
   </value>
</field>
<field name="pole2">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
   <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole91.rawValue * pole90.rawValue;</script>
   </calculate>
</field>
```

```xml
<field name="pole93">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
   <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole38.rawValue + pole41.rawValue + pole44.rawValue + pole47.rawValue +
pole50.rawValue + pole53.rawValue + pole56.rawValue + pole59.rawValue +
pole62.rawValue + pole65.rawValue + pole68.rawValue + pole71.rawValue +
pole74.rawValue + pole77.rawValue + pole80.rawValue + pole83.rawValue +
pole86.rawValue + pole89.rawValue + pole92.rawValue;</script>
   </calculate>
</field>
<field name="pole94">
   <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
   </ui>
   <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
   </format>
</field>
<field name="pole95">
   <ui>
      <textEdit hScrollPolicy="off">
      </textEdit>
   </ui>
</field>
<field name="pole96">
   <ui>
      <textEdit hScrollPolicy="off">
      </textEdit>
   </ui>
</field>
<field name="pole97">
   <ui>
      <textEdit hScrollPolicy="off">
         <comb numberOfCells="8"/>
      </textEdit>
   </ui>
   <value>
      <text maxChars="8"/>
   </value>
</field>
<field name="pole98">
   <ui>
      <textEdit hScrollPolicy="off">
      </textEdit>
   </ui>
</field>
<field name="pole101">
   <ui>
      <textEdit hScrollPolicy="off">
         <comb numberOfCells="8"/>
      </textEdit>
   </ui>
   <value>
      <text maxChars="8"/>
   </value>
</field>
```