

Załącznik nr 9
do uchwały Nr XXXIII/425/11
Rady Miasta Krakowa
z dnia 7 grudnia 2011 r.

Układ informacji i powiązań między nimi w deklaracji IN-1 Informacja o nieruchomościach osób fizycznych (budynkach, budowlach, gruntach i lasach) w formacie danych XML

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/" timeStamp="2008-11-12T05:52:48Z"
uuid="32056ed4-538c-4f69-ab76-1f5006ef04fb">
<template baseProfile="interactiveForms" xmlns="http://www.xfa.org/schema/xfa-
template/2.5/">
    <subform name="topmostSubform" layout="tb" locale="pl_PL">
        <pageSet>
            <pageArea id="PageAreal" name="PageAreal">
                <field name="pole1">
                    <para vAlign="middle"/>
                    <ui>
                        <choiceList commitOn="exit">
                            </choiceList>
                    </ui>
                    <items>
                        <text>*</text>
                        <text>31-549 Kraków, al. Powstania Warszawskiego 10</text>
                        <text>30-552 Kraków, ul. Wielicka 28A</text>
                        <text>31-949 Kraków, os. Zgody 2</text>
                    </items>
                    <items save="1" presence="hidden">
                        <text>*</text>
                        <text>31-549 Kraków, al. Powstania Warszawskiego 10</text>
                        <text>30-552 Kraków, ul. Wielicka 28A</text>
                        <text>31-949 Kraków, os. Zgody 2</text>
                    </items>
                    <value>
                        <text>*</text>
                    </value>
                </field>
                <field name="pole2-1">
                    <ui>
                        </checkButton>
                    </ui>
                    <value>
                        <text>Off</text>
                    </value>
                    <items>
                        <text>Tak</text>
                        <text>Off</text>
                    </items>
                </field>
                <field name="pole2-2">
                    <ui>
                        </checkButton>
                    </ui>
                    <value>
                        <text>Off</text>
                    </value>
                    <items>
                        <text>Tak</text>
                        <text>Off</text>
                    </items>
                </field>
            </pageArea>
        </pageSet>
    </subform>
</template>
```

```
        </items>
    </field>
<field name="pole2-data">
    <ui>
        <comb numberOfCells="8"/>
    </TextEdit>
</ui>
<value>
    <text maxChars="8"/>
</value>
</field>
<field name="pole3">
    <ui>
        <margin/>
    </TextEdit>
</ui>
</field>
<field name="pole4-1">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole4-2">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole4-3">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole4-4">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole4-6">
    <ui>
        </checkButton>
```

```
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<field name="pole4-5">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<field name="pole4-7">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<field name="pole4-8">
<ui>
    </checkButton>
</ui>
<value>
    <text>Off</text>
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<field name="pole5">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole6">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole9">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole10">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole12">
<ui>
    </textEdit>
```

```
    </ui>
  </field>
<field name="pole13">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole14">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole15">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole11">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole16">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole17">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole20">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole21">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole23">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole24">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole25">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole26">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole22">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole7_NIP">
```

```
<ui>
    </textEdit>
</ui>
<value>
    <text maxChars="10"/>
</value>
</field>
<field name="pole8_PESEL">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="11"/>
    </value>
</field>
<field name="pole18_NIP">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="10"/>
    </value>
</field>
<field name="pole19_PESEL">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="11"/>
    </value>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page2">
    <break before="pageArea" beforeTarget="#PageAreal" startNew="1"/>
    <bind match="none"/>
    <field name="pole27">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole28">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole30">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole31">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole32">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole33">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole29">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole36">
```

```
<ui>
    </textEdit>
</ui>
</field>
<field name="pole37">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole39">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole40">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole41">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole42">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole38">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole34">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole35">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole43">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole45a">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole45b">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole46">
<ui>
    </textEdit>
</ui>
</field>
<field name="pole47">
<ui>
    </textEdit>
</ui>
```

```
</field>
<field name="pole44">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole48">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole50">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole49">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole51">
<ui>
</TextEdit>
</ui>
<value>
<text maxChars="8"/>
</value>
</field>
<field name="pole52">
<ui>
</TextEdit>
</ui>
<value>
<text maxChars="8"/>
</value>
</field>
<field name="pole53">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole55a">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole55b">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole56">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole57">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole54">
<ui>
</TextEdit>
</ui>
</field>
<field name="pole58">
```

```
<ui>
    </textEdit>
</ui>
</field>
<field name="pole60">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole59">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole61">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole62">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole63">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole64">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole68">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole65">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole69">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole66">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole70">
    <ui>
```

```

        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole67">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole71">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole72">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="Pole_wyboruE1-3-2">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="Pole_wyboruE1-3-1">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page3" >
    <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
    <bind match="none"/>
    <field name="pole73">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="Pole_wyboruE1-4-2">
        <ui>

```

```
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="Pole_wyboruE1-4-1">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole74">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="Pole_wyboruE1-5-2">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="Pole_wyboruE1-5-1">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole75">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="Pole_wyboruE1-6-2">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
```

```
</value>
<items>
    <text>Tak</text>
    <text>Off</text>
</items>
</field>
<field name="Pole_wyboruEl-6-1">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole76">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="Pole_wyboruEl-7-2">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="Pole_wyboruEl-7-1" >
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole77">
    <ui>
        <margin/>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="Pole_wyboruEl-8-2">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
```

```
        <text>Off</text>
    </items>
</field>
<field name="Pole_wyboruE1-8-1">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole78">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole79">
    <ui>
        <margin/>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole80">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole81">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole82">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole83">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole84">
    <ui>
        </numericEdit>
    </ui>
```

```
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.9999}</picture>
</format>
</field>
<field name="pole85">
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.9999}</picture>
</format>
</field>
<field name="pole86">
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.9999}</picture>
</format>
</field>
<field name="pole87">
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.9999}</picture>
</format>
</field>
<field name="pole88">
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.9999}</picture>
</format>
</field>
<field name="pole89">
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.9999}</picture>
</format>
</field>
<field name="pole90">
<ui>
    </numericEdit>
</ui>
<format>
    <picture>num(de){zzz, zzz, zzz, zzz, zz9.9999}</picture>
</format>
</field>
<field name="TekstF1-1">
<ui>
    </textEdit>
</ui>
</field>
<field name="TekstF1-2">
<ui>
    </textEdit>
</ui>
</field>
<field name="DataF1-1">
<ui>
    </textEdit>
</ui>
<value>
    <text maxChars="8"/>
```

```

        </value>
    </field>
    <field name="DataF1-2">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="8"/>
        </value>
    </field>
    <field name="pole91">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz,zzz,zzz,zzz,zz9}</picture>
        </format>
    </field>
<?templateDesigner expand 1?></subform>
<subform name="Page4" x="0pt" y="0pt" w="595.22pt" h="842pt">
    <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
    <bind match="none"/>
    <field name="TekstF2-ust1">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="TekstF2-pkt1">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole92">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz,zzz,zzz,zzz,zz9.9999}</picture>
        </format>
    </field>
    <field name="pole93">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz,zzz,zzz,zzz,zz9}</picture>
        </format>
    </field>
    <field name="pole94">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz,zzz,zzz,zzz,zz9}</picture>
        </format>
    </field>
    <field name="TekstF2-ust2">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="TekstF2-pkt2">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole95">
        <ui>

```

```
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole96">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(en) {zzz, zzz, zzz, zzz, zz9}</picture>
    </format>
</field>
<field name="pole97">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9}</picture>
    </format>
</field>
<field name="TekstF3-ust1">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="TekstF3-pkt1">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole98">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9}</picture>
    </format>
</field>
<field name="TekstF3-ust2">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="TekstF3-pkt2">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole99">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9}</picture>
    </format>
</field>
<field name="TekstF4-ust1">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="TekstF4-pkt1">
    <ui>
        </textEdit>
    </ui>
</field>
```

```
<field name="pole100">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
  </format>
</field>
<field name="TekstF4-ust2">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="TekstF4-pkt2">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole101">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
  </format>
</field>
<field name="pole102">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole103">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole104">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole106">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole107">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole109">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole110">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole112">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole113">
  <ui>
```

```
        </textEdit>
    </ui>
</field>
<field name="pole115">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole116">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole118">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole119">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole121">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole122">
    <ui>
        </textEdit>
    </ui>
</field>
```

