

Załącznik nr 11
do uchwały Nr XXXIII/425/11
Rady Miasta Krakowa
z dnia 7 grudnia 2011 r.

Układ informacji i powiązań między nimi w deklaracji DN-1 Deklaracja na podatek od nieruchomości w formacie danych XML

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/">
<template xmlns="http://www.xfa.org/schema/xfa-template/2.5/"
baseProfile="interactiveForms">
  <subform layout="tb" locale="pl_PL" name="topmostSubform">
    <pageSet>
      <pageArea id="PageArea1" name="PageArea1">
        <field name="pole1_NIP" >
          <ui>
            <textEdit hScrollPolicy="off">
              <comb numberOfCells="10"/>
              <margin/>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </event>
        </field>
        <field name="pole10_REGON">
          <ui>
            <textEdit hScrollPolicy="off">
              <comb numberOfCells="10"/>
              <margin/>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole11_PESEL" >
          <ui>
            <textEdit hScrollPolicy="off">
              <comb numberOfCells="11"/>
              <margin/>
            </textEdit>
          </ui>
        </field>
        <field name="P5_1">
          <ui>
            </checkbox>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        </field>
        <field name="P5_3">
          <ui>
            </checkbox>
          </ui>
          <value>
            <text>Off</text>
          </value>
        </field>
      </pageArea>
    </subform>
  </template>
</xdp:xdp>
```



```

        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    <field name="P5_5">
        <ui>
            </checkBox>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    <field name="P5_2">
        <ui>
            </checkBox>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    <field name="P5_4">
        <ui>
            </checkBox>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    <field name="P5_2_miesiac_rok">
        <ui>
            <comb numberOfCells="6"/>
        </textEdit>
        </ui>
        <value>
            <text maxChars="6"/>
        </value>
    <field name="P5_5_miesiac_rok">
        <ui>
            <comb numberOfCells="6"/>
        </textEdit>
        </ui>
        <value>
            <text maxChars="6"/>
        </value>
    <field name="P6_1">
        <ui>
            </checkBox>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    <field name="P6_2">
        <ui>
            </checkBox>

```

```
</ui>
<value>
  <text>Off</text>
</value>
<items>
  <text>Tak</text>
  <text>Off</text>
</items>
<field name="P6_3">
  <ui>
    </checkBox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P6_6">
  <ui>
    </checkBox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P6_8">
  <ui>
    </checkBox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P6_5">
  <ui>
    </checkBox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P6_7">
  <ui>
    </checkBox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P6_4">
  <ui>
    </checkBox>
  </ui>
  <value>
```

```
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_1">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_2">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_3">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_4">
    <ui>
        </checkButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="pole8">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole9">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole13_NBR">
    <ui>
        <comb numberOfCells="26"/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="26"/>
    </value>
```

```
</field>
<field name="pole12">
  <ui>
    <comb numberOfCells="11"/>
  </textEdit>
</ui>
<value>
  <text maxChars="11"/>
</value>
</field>
<field access="readOnly" name="pole3_ROK">
  <ui>
    <comb numberOfCells="4"/>
  </textEdit>
</ui>
<value>
  <text maxChars="4">2009</text>
</value>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page2">
  <field name="pole22">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole23">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole18">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole19">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole22">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole21">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole24">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole15">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
</subform>
```

```
</field>
<field name="pole16">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole17">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole32">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole33">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole28">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole29">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole30">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole31">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole34">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole25">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole26">
  <ui>
    <textEdit hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole27">
```

```

    <ui>
      <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole35">
  <ui>
    <textEdit hScrollPolicy="off">
      </textEdit>
    </ui>
</field>
<field name="pole36">
  <ui>
    <textEdit hScrollPolicy="off">
      </textEdit>
    </ui>
</field>
<field name="pole37">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole38" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <value>
    <float>0,77</float>
  </value>
</field>
<field name="pole39">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole37.rawValue * pole38.rawValue;</script>
  </calculate>
</field>
<field name="pole40">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole41" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>

```

```

    <value>
      <float>0,34</float>
    </value>
  </field>
  <field name="pole42">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
      <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole40.rawValue * pole41.rawValue;</script>
      </calculate>
    </field>
    <field name="pole43">
      <ui>
        <numericEdit hScrollPolicy="off">
          </numericEdit>
        </ui>
        <format>
          <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole44" presence="hidden">
      <ui>
        <numericEdit hScrollPolicy="off">
          </numericEdit>
        </ui>
        <format>
          <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
          <float>0,34</float>
        </value>
    </field>
    <field name="pole45">
      <ui>
        <numericEdit hScrollPolicy="off">
          </numericEdit>
        </ui>
        <format>
          <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
          <script contentType="application/x-javascript">this.rawValue =
pole43.rawValue * pole44.rawValue;</script>
        </calculate>
    </field>
    <field name="pole46">
      <ui>
        <numericEdit hScrollPolicy="off">
          </numericEdit>
        </ui>
        <format>
          <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole47">
      <ui>
        <numericEdit hScrollPolicy="off">
          </numericEdit>
        </ui>
        <format>
          <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>

```

```

    <value>
      <float>0,67</float>
    </value>
  <field name="pole48">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole46.rawValue * pole47.rawValue;</script>
    </calculate>
  </field>
  <field name="pole49">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole50" presence="hidden">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>0,25</float>
    </value>
  </field>
  <field name="pole51">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole49.rawValue * pole50.rawValue;</script>
    </calculate>
  </field>
  <field name="pole52">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
  </field>
  <field name="pole53" presence="hidden">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>

```

```

        <float>4,11</float>
    </value>
</field>
<field name="pole54">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole52.rawValue * pole53.rawValue;</script>
        </calculate>
    </field>
<field name="pole55">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
<field name="pole56" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>0,34</float>
        </value>
    </field>
    <field name="pole57">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
            </ui>
            <format>
                <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
            <calculate>
                <script contentType="application/x-javascript">this.rawValue =
pole55.rawValue * pole56.rawValue;</script>
            </calculate>
        </field>
<field name="pole58">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
<field name="pole59" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>0,64</float>

```

```

        </value>
    </field>
    <field name="pole60">
        <ui>
            <numericEdit hScrollPolicy="off">
                </numericEdit>
            </ui>
            <format>
                <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
            </format>
            <calculate>
                <script contentType="application/x-javascript">this.rawValue =
pole58.rawValue * pole59.rawValue;</script>
            </calculate>
        </field>
        <field name="pole61">
            <ui>
                <numericEdit hScrollPolicy="off">
                    </numericEdit>
                </ui>
                <format>
                    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
                </format>
            </field>
            <field name="pole62" presence="hidden">
                <ui>
                    <numericEdit hScrollPolicy="off">
                        </numericEdit>
                    </ui>
                    <format>
                        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
                    </format>
                    <value>
                        <float20,62</float>
                    </value>
                </field>
                <field name="pole63">
                    <ui>
                        <numericEdit hScrollPolicy="off">
                            </numericEdit>
                        </ui>
                        <format>
                            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
                        </format>
                        <calculate>
                            <script contentType="application/x-javascript">this.rawValue =
pole61.rawValue * pole62.rawValue;</script>
                        </calculate>
                    </field>
                    <?templateDesigner expand 1?></subform>
                    <subform h="842pt" name="Page3">
                        <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
                        <bind match="none"/>
                    <field name="pole64">
                        <ui>
                            <numericEdit hScrollPolicy="off">
                                </numericEdit>
                            </ui>
                            <format>
                                <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
                            </format>
                        </field>
                        <field name="pole65" presence="hidden">
                            <ui>
                                <numericEdit hScrollPolicy="off">
                                    </numericEdit>
                                </ui>
                                <format>

```

```

        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>8,78</float>
    </value>
</field>
<field name="pole66">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <para hAlign="right" vAlign="middle"/>
    <font typeface="Helvetica"/>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole64.rawValue * pole65.rawValue;</script>
    </calculate>
</field>
<field name="pole67">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole68" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>1,78</float>
    </value>
</field>
<field name="pole69">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole67.rawValue * pole68.rawValue;</script>
    </calculate>
</field>
<field name="pole70">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole71" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>

```

```

    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>8,78</float>
    </value>
  </field>
  <field name="pole72">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
      <para hAlign="right" vAlign="middle"/>
      <font typeface="Helvetica"/>
      <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole71.rawValue * pole72.rawValue;</script>
      </calculate>
    </field>
    <field name="pole73">
      <ui>
        <numericEdit hScrollPolicy="off">
          </numericEdit>
        </ui>
        <format>
          <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
      </field>
      <field name="pole74" presence="hidden">
        <ui>
          <numericEdit hScrollPolicy="off">
            </numericEdit>
          </ui>
          <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
          </format>
          <value>
            <float>17,55</float>
          </value>
        </field>
        <field name="pole75">
          <ui>
            <numericEdit hScrollPolicy="off">
              </numericEdit>
            </ui>
            <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
            <calculate>
              <script contentType="application/x-javascript">this.rawValue =
pole73.rawValue * pole74.rawValue;</script>
            </calculate>
          </field>
          <field name="pole76">
            <ui>
              <numericEdit hScrollPolicy="off">
                </numericEdit>
              </ui>
              <format>
                <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
              </format>
            </field>
            <field name="pole77" presence="hidden">
              <ui>

```

```

        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>9,73</float>
    </value>
</field>
<field name="pole78">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole76.rawValue * pole77.rawValue;</script>
    </calculate>
</field>
<field name="pole79">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole80" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>1,78</float>
    </value>
</field>
<field name="pole81">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole79.rawValue * pole80.rawValue;</script>
    </calculate>
</field>
<field name="pole82">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole83" presence="hidden">
    <ui>

```

```

        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>6,58</float>
    </value>
</field>
<field name="pole84">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole82.rawValue * pole83.rawValue;</script>
    </calculate>
</field>
<field name="pole85">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole86" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>10,97</float>
    </value>
</field>
<field name="pole87">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole85.rawValue * pole86.rawValue;</script>
    </calculate>
</field>
<field name="pole88">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole89" presence="hidden">
    <ui>

```

```

        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>6,55</float>
    </value>
</field>
<field name="pole90">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole88.rawValue * pole89.rawValue;</script>
    </calculate>
</field>
<field name="pole91">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole92" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>0,02</float>
    </value>
</field>
<field name="pole93">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole91.rawValue * pole92.rawValue;</script>
    </calculate>
</field>
<field name="pole94">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole95" presence="hidden">
    <ui>

```

```

        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>0,001</float>
    </value>
</field>
<field name="pole96">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole94.rawValue * pole95.rawValue;</script>
    </calculate>
</field>
<field name="pole97">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole39.rawValue + pole42.rawValue + pole45.rawValue + pole48.rawValue +
pole51.rawValue + pole54.rawValue + pole57.rawValue + pole60.rawValue +
pole63.rawValue + pole66.rawValue + pole69.rawValue + pole72.rawValue +
pole75.rawValue + pole78.rawValue + pole81.rawValue + pole84.rawValue +
pole87.rawValue + pole90.rawValue + pole93.rawValue+ pole96.rawValue script>
    </calculate>
</field>
<field name="pole98">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole99">
    <ui>
        <textEdit hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole101">
    <ui>
        <textEdit hScrollPolicy="off">
            <comb numberOfCells="8"/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole103">
    <ui>
        <textEdit hScrollPolicy="off">

```

```
        </textEdit>
    </ui>
</field>
<field name="pole105">
    <ui>
        <textEdit hScrollPolicy="off">
            <comb numberOfCells="8"/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
```

