

Załącznik nr 9  
do uchwały Nr  
Rady Miasta Krakowa  
z dnia

**Układ informacji i powiązań między nimi w deklaracji IN-1 Informacja  
o nieruchomościach osób fizycznych (budynkach, budowlach, gruntach i lasach)  
w formacie danych XML**

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/" timeStamp="2008-11-12T05:52:48Z"
uid="32056ed4-538c-4f69-ab76-1f5006ef04fb">
<template baseProfile="interactiveForms" xmlns="http://www.xfa.org/schema/xfa-
template/2.5/">
  <subform name="topmostSubform" layout="tb" locale="pl_PL">
    <pageSet>
      <pageArea id="PageArea1" name="PageArea1">
        <field name="pole1">
          <para vAlign="middle"/>
          <ui>
            <choiceList commitOn="exit">
            </choiceList>
          </ui>
          <items>
            <text>*</text>
            <text>31-549 Kraków, al. Powstania Warszawskiego 10</text>
            <text>30-552 Kraków, ul. Wielicka 28A</text>
            <text>31-949 Kraków, os. Zgody 2</text>
          </items>
          <items save="1" presence="hidden">
            <text>*</text>
            <text>31-549 Kraków, al. Powstania Warszawskiego 10</text>
            <text>30-552 Kraków, ul. Wielicka 28A</text>
            <text>31-949 Kraków, os. Zgody 2</text>
          </items>
          <value>
            <text>*</text>
          </value>
        </field>
        <field name="pole2-1">
          <ui>
            </checkbox>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        </field>
        <field name="pole2-2">
          <ui>
            </checkbox>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        </field>
        <field name="pole2-data">
```

```
<ui>
  <comb numberOfCells="8"/>
</textEdit>
</ui>
<value>
  <text maxChars="8"/>
</value>
</field>
<field name="pole3">
  <ui>
    <margin/>
  </textEdit>
</ui>
</field>
<field name="pole4-1">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole4-2">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole4-3">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole4-4">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole4-6">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
```

```
</value>
<items>
  <text>Tak</text>
  <text>Off</text>
</items>
</field>
<field name="pole4-5">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole4-7">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole4-8">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole5">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole6">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole9">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole10">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole12">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole13">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole14">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole15">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole11">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole16">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole17">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole20">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole21">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole23">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole24">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole25">
  <ui>
    </textEdit>
  </ui>
</field>

<field name="pole26">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole22">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole7_NIP">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</ui>
<value>
  <text maxChars="10"/>
</value>
</field>
<field name="pole8_PESEL">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="11"/>
</field>
<field name="pole18_NIP">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="10"/>
</field>
<field name="pole19_PESEL">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="11"/>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page2">
  <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
  <bind match="none"/>
  <field name="pole27">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole28">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole30">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole31">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole32">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole33">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole29">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole36">
    <ui>
      </textEdit>
    </ui>
  </field>
```

```
</ui>
</field>
<field name="pole37">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole39">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole40">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole41">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole42">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole38">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole34">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole35">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole43">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole45a">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole45b">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole46">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole47">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole44">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole48">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole50">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole49">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole51">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole52">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole53">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole55a">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole55b">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole56">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole57">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole54">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole58">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</ui>
</field>
<field name="pole60">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole59">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole61">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole62">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole63">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole64">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole68">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole65">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole69">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole66">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole70">
  <ui>
    </numericEdit>
  </ui>
</field>
```



```

        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole67">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole71">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole72">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="Pole_wyboruE1-3-2">
        <ui>
            </checkboxButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <field name="Pole_wyboruE1-3-1">
        <ui>
            </checkboxButton>
        </ui>
        <value>
            <text>Off</text>
        </value>
        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
    </field>
    <?templateDesigner expand 1?></subform>
<subform name="Page3" >
    <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
    <bind match="none"/>
    <field name="pole73">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="Pole_wyboruE1-4-2">
        <ui>
            </checkboxButton>
        </ui>

```

```
<value>
  <text>Off</text>
</value>
<items>
  <text>Tak</text>
  <text>Off</text>
</items>
</field>
<field name="Pole_wyboruE1-4-1">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole74">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="Pole_wyboruE1-5-2">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="Pole_wyboruE1-5-1">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole75">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="Pole_wyboruE1-6-2">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
```

```

        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="Pole_wyboruE1-6-1">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole76">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="Pole_wyboruE1-7-2">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="Pole_wyboruE1-7-1" >
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole77">
    <ui>
        <margin/>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="Pole_wyboruE1-8-2">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>

```

```
</field>
<field name="Pole_wyboruE1-8-1">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="pole78">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole79">
  <ui>
    <margin/>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole80">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole81">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole82">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole83">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole84">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
```

```

    </format>
</field>
  <field name="pole85">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole86">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole87">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole88">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole89">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole90">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="TekstF1-1">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="TekstF1-2">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="DataF1-1">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>

```

```

<field name="DataF1-2">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole91">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9}</picture>
  </format>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page4" x="0pt" y="0pt" w="595.22pt" h="842pt">
  <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
  <bind match="none"/>
  <field name="TekstF2-ust1">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="TekstF2-pkt1">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole92">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
  </field>
  <field name="pole93">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9}</picture>
    </format>
  </field>
  <field name="pole94">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9}</picture>
    </format>
  </field>
  <field name="TekstF2-ust2">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="TekstF2-pkt2">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole95">
    <ui>
      </numericEdit>
    </ui>
  </field>

```

```
<format>
  <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
</format>
</field>
<field name="pole96">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9}</picture>
  </format>
</field>
<field name="pole97">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
  </format>
</field>
<field name="TekstF3-ust1">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="TekstF3-pkt1">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole98">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
  </format>
</field>
<field name="TekstF3-ust2">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="TekstF3-pkt2">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole99">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9}</picture>
  </format>
</field>
<field name="TekstF4-ust1">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="TekstF4-pkt1">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole100">
  <ui>
```

```
        </numericEdit>
    </ui>
</format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9}</picture>
</format>
</field>
<field name="TekstF4-ust2">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="TekstF4-pkt2">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole101">
    <ui>
        </numericEdit>
    </ui>
</format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9}</picture>
</format>
</field>
<field name="pole102">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole103">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole106">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole108">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole111">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole112">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole114">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole115">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole117">
    <ui>
        </textEdit>
    </ui>
</field>
```



```
</field>
<field name="pole118">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole120">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole121">
  <ui>
    </textEdit>
  </ui>
</field>
```

Załącznik nr 10  
do uchwały Nr  
Rady Miasta Krakowa  
z dnia

**Układ informacji i powiązań między nimi w deklaracji IN-1/A Załącznik do informacji  
o nieruchomościach osób fizycznych (budynkach, budowlach, gruntach i lasach)  
w formacie danych XML**

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/" timeStamp="2008-11-12T05:58:51Z"
uid="44e4030e-12db-4606-807b-6229232a0279">
<template baseProfile="interactiveForms" xmlns="http://www.xfa.org/schema/xfa-
template/2.5/">
  <subform name="topmostSubform" layout="tb" locale="pl_PL">
    <pageSet>
      <pageArea id="PageArea1" name="PageArea1">
        <field name="pole1">
          <ui>
            </choiceList>
          </ui>
          <items>
            <text>*</text>
            <text>31-549 Kraków, Al. Powstania Warszawskiego 10</text>
            <text>30-552 Kraków, Al. ul. Wielicka 28A</text>
            <text>31-949 Kraków, Os. Zgody 2</text>
          </items>
          <items save="1" presence="hidden">
            <text>*</text>
            <text>31-549 Kraków, Al. Powstania Warszawskiego 10</text>
            <text>30-552 Kraków, Al. ul. Wielicka 28A</text>
            <text>31-949 Kraków, Os. Zgody 2</text>
          </items>
          <value>
            <text>*</text>
          </value>
        </field>
        <field name="pole2">
          <ui>
            </textEdit>
          </ui>
        </field>
        <field name="pole3">
          <ui>
            </textEdit>
          </ui>
        </field>
        <field name="pole4_NIP">
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole5_PESEL">
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="11"/>
          </value>
        </field>
        <field name="pole15_NIP">
          <ui>
```

```
        </textEdit>
    </ui>
    <value>
        <text maxChars="10"/>
    </value>
</field>
<field name="pole16_PESEL">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="11"/>
    </value>
</field>
<field name="pole5">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole6">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole9">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole11">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole12">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole13">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole10">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole14">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole17">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole18">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole19">
    <ui>
        </textEdit>
    </ui>
</field>
```

```
</field>
<field name="pole20">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole21">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole22">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole23">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole24">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole125_NIP">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="10"/>
  </value>
</field>
<field name="pole126_PESEL">
  <ui>
    </textEdit>
  </ui>
  <value>
<field name="pole27">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole28">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole29">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole30">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole31">
  <ui>
    </textEdit>
```

```
</ui>
</field>
<field name="pole32">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole33">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole34">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole36">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole35">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole37_NIP">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="10"/>
  </value>
</field>
<field name="pole38_PESEL">
  <ui>
    </textEdit>
  </ui>
  <value>
</field>
<field name="pole39">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole41">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole42">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole43">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole40">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole44">
  <ui>
```

```
        </textEdit>
    </ui>
</field>
</subform>
<?templateDesigner expand 1?></subform>
<subform name="Page2">
    <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
    <field name="pole46">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole45">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole47">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="8"/>
        </value>
    </field>
    <field name="pole48">
        <ui>
            </textEdit>
        </ui>
        <value>
            <text maxChars="8"/>
        </value>
    </field>
    <field name="pole49">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole50">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole51">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole52">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole53">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole54">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole55a">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole55b">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole56">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole57">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole58">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole59">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole61">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole62">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole63">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole60">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole64">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole66">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole65a">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole65b">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</ui>
</field>
<field name="pole67">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole68">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole69">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole71">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole72">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole73">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole70">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole74">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole76">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole75">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole77">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole78">
  <ui>
```



```
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole79">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole81">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole82">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole83">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole80">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole84">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole86">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole85a">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole85b">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole87">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole88">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole89">
```

```
<ui>
  </textEdit>
</ui>
<value>
  <text maxChars="8"/>
</value>
</field>
<field name="pole90">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole91">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole92">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole93">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole94">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole95a">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole95b">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
```

Załącznik nr 11  
do uchwały Nr  
Rady Miasta Krakowa  
z dnia

## Układ informacji i powiązań między nimi w deklaracji DN-1 Deklaracja na podatek od nieruchomości w formacie danych XML

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/">
<template xmlns="http://www.xfa.org/schema/xfa-template/2.5/"
baseProfile="interactiveForms">
  <subform layout="tb" locale="pl_PL" name="topmostSubform">
    <pageSet>
      <pageArea id="PageArea1" name="PageArea1">
        <field name="pole1_NIP" >
          <ui>
            <textEdit hScrollPolicy="off">
              <comb numberOfCells="10"/>
              <margin/>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </event>
        </field>
        <field name="pole10_REGON">
          <ui>
            <textEdit hScrollPolicy="off">
              <comb numberOfCells="10"/>
              <margin/>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole11_PESEL" >
          <ui>
            <textEdit hScrollPolicy="off">
              <comb numberOfCells="11"/>
              <margin/>
            </textEdit>
          </ui>
          <field name="P5_1">
            <ui>
              </checkbox/>
            </ui>
            <value>
              <text>Off</text>
            </value>
            <items>
              <text>Tak</text>
              <text>Off</text>
            </items>
          </field>
          <field name="P5_3">
            <ui>
              </checkbox/>
            </ui>
            <value>
              <text>Off</text>
            </value>
            <items>
```

```

        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_5">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_2">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_4">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_2_miesiac_rok">
    <ui>
        <comb numberOfCells="6"/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
<field name="P5_5_miesiac_rok">
    <ui>
        <comb numberOfCells="6"/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
<field name="P6_1">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_2">
    <ui>
        </checkboxButton>
    </ui>
    <value>

```

```
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_3">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_6">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_8">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_5">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_7">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P6_4">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
```

```

        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
<field name="P7_1">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_2">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_3">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P7_4">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="pole8">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole9">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole13_NBR">
    <ui>
        <comb numberOfCells="26"/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="26"/>
    </value>
</field>
<field name="pole12">

```

```

    <ui>
      <comb numberOfCells="11"/>
    </textEdit>
  </ui>
  <value>
    <text maxChars="11"/>
  </value>
</field>
<field access="readOnly" name="pole3_ROK">
  <ui>
    <comb numberOfCells="4"/>
  </textEdit>
  </ui>
  <value>
    <text maxChars="4">2009</text>
  </value>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page2">
  <field name="pole22">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole23">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole18">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole19">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole22">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole21">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole24">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole15">
    <ui>
      <textEdit hScrollPolicy="off">
    </textEdit>
    </ui>
  </field>
  <field name="pole16">

```

```
<ui>
  <textEdit hScrollPolicy="off">
</textEdit>
</ui>
</field>
<field name="pole17">
  <ui>
    <textEdit hScrollPolicy="off">
</textEdit>
  </ui>
</field>
<field name="pole32">
  <ui>
    <textEdit hScrollPolicy="off">
</textEdit>
  </ui>
</field>
<field name="pole33">
  <ui>
    <textEdit hScrollPolicy="off">
</textEdit>
  </ui>
</field>
<field name="pole28">
  <ui>
    <textEdit hScrollPolicy="off">
</textEdit>
  </ui>
</field>
<field name="pole29">
  <ui>
    <textEdit hScrollPolicy="off">
</textEdit>
  </ui>
</field>
<field name="pole30">
  <ui>
    <textEdit hScrollPolicy="off">
</textEdit>
  </ui>
</field>
<field name="pole31">
  <ui>
    <textEdit hScrollPolicy="off">
</textEdit>
  </ui>
</field>
<field name="pole34">
  <ui>
    <textEdit hScrollPolicy="off">
</textEdit>
  </ui>
</field>
<field name="pole25">
  <ui>
    <textEdit hScrollPolicy="off">
</textEdit>
  </ui>
</field>
<field name="pole26">
  <ui>
    <textEdit hScrollPolicy="off">
</textEdit>
  </ui>
</field>
<field name="pole27">
  <ui>
    <textEdit hScrollPolicy="off">
```



```

        </textEdit>
    </ui>
</field>
<field name="pole35">
    <ui>
        <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
<field name="pole36">
    <ui>
        <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
    </field>
<field name="pole37">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole38" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>0,77</float>
    </value>
</field>
<field name="pole39">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole37.rawValue * pole38.rawValue;</script>
    </calculate>
</field>
<field name="pole40">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole41" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>0,34</float>

```

```

    </value>
</field>
<field name="pole42">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole40.rawValue * pole41.rawValue;</script>
    </calculate>
  </field>
<field name="pole43">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
<field name="pole44" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>0,34</float>
    </value>
  </field>
<field name="pole45">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole43.rawValue * pole44.rawValue;</script>
    </calculate>
  </field>
<field name="pole46">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
<field name="pole47">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>0,67</float>

```

```

    </value>
<field name="pole48">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole46.rawValue * pole47.rawValue;</script>
    </calculate>
  </field>
<field name="pole49">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
<field name="pole50" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>0,25</float>
    </value>
  </field>
<field name="pole51">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole49.rawValue * pole50.rawValue;</script>
    </calculate>
  </field>
<field name="pole52">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
  </field>
<field name="pole53" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>4,11</float>
    </value>
  </field>

```

```

</field>
<field name="pole54">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole52.rawValue * pole53.rawValue;</script>
    </calculate>
  </field>
  <field name="pole55">
    <ui>
      <numericEdit hScrollPolicy="off">
        </numericEdit>
      </ui>
      <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
      </format>
    </field>
    <field name="pole56" presence="hidden">
      <ui>
        <numericEdit hScrollPolicy="off">
          </numericEdit>
        </ui>
        <format>
          <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
          <float>0,34</float>
        </value>
      </field>
      <field name="pole57">
        <ui>
          <numericEdit hScrollPolicy="off">
            </numericEdit>
          </ui>
          <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
          </format>
          <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole55.rawValue * pole56.rawValue;</script>
          </calculate>
        </field>
        <field name="pole58">
          <ui>
            <numericEdit hScrollPolicy="off">
              </numericEdit>
            </ui>
            <format>
              <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
            </format>
          </field>
          <field name="pole59" presence="hidden">
            <ui>
              <numericEdit hScrollPolicy="off">
                </numericEdit>
              </ui>
              <format>
                <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
              </format>
              <value>
                <float>0,64</float>
              </value>
            </field>

```

```

<field name="pole60">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole58.rawValue * pole59.rawValue;</script>
    </calculate>
  </field>
<field name="pole61">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
<field name="pole62" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float20,62</float>
    </value>
  </field>
<field name="pole63">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole61.rawValue * pole62.rawValue;</script>
    </calculate>
  </field>
<field name="pole64">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
<field name="pole65" presence="hidden">
  <ui>
    <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>8,78</float>
    </value>
  </field>

```

```

<field name="pole66">
  <ui>
    <numericEdit hScrollPolicy="off">
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <para hAlign="right" vAlign="middle"/>
  <font typeface="Helvetica"/>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole64.rawValue * pole65.rawValue;</script>
  </calculate>
</field>
<?templateDesigner expand 1?></subform>
<subform h="842pt" name="Page3">
  <break before="pageArea" beforeTarget="#PageArea1" startNew="1"/>
  <bind match="none"/>
  <field name="pole67">
    <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole68" presence="hidden">
    <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>8,78</float>
    </value>
  </field>
  <field name="pole69">
    <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole67.rawValue * pole68.rawValue;</script>
    </calculate>
  </field>
  <field name="pole70">
    <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole71" presence="hidden">
    <ui>
      <numericEdit hScrollPolicy="off">
      </numericEdit>
    </ui>
    <format>

```

```

        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>9,75</float>
    </value>
</field>
<field name="pole72">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole70.rawValue * pole71.rawValue;</script>
    </calculate>
</field>
<field name="pole73">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole74" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>9,73</float>
    </value>
</field>
<field name="pole75">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole73.rawValue * pole74.rawValue;</script>
    </calculate>
</field>
<field name="pole76">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole77" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>

```

```

        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>1,78</float>
    </value>
</field>
<field name="pole78">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole76.rawValue * pole77.rawValue;</script>
    </calculate>
</field>
<field name="pole79">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole80" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>6,58</float>
    </value>
</field>
<field name="pole81">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole79.rawValue * pole80.rawValue;</script>
    </calculate>
</field>
<field name="pole82">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole83" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>

```



```

        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>10,97</float>
    </value>
</field>
<field name="pole84">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole82.rawValue * pole83.rawValue;</script>
    </calculate>
</field>
<field name="pole85">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole86" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>6,55</float>
    </value>
</field>
<field name="pole87">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole85.rawValue * pole86.rawValue;</script>
    </calculate>
</field>
<field name="pole88">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole89" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>

```

```

        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,02</float>
    </value>
</field>
<field name="pole90">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole88.rawValue * pole89.rawValue;</script>
    </calculate>
</field>
<field name="pole91">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole92" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,001</float>
    </value>
</field>
<field name="pole93">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole91.rawValue * pole92.rawValue;</script>
    </calculate>
</field>
<field name="pole95" presence="hidden">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole94">
    <ui>
        <numericEdit hScrollPolicy="off">
        </numericEdit>
    </ui>
    <format>

```

```

        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole39.rawValue + pole42.rawValue + pole45.rawValue + pole48.rawValue +
pole51.rawValue + pole54.rawValue + pole57.rawValue + pole60.rawValue +
pole63.rawValue + pole66.rawValue + pole69.rawValue + pole72.rawValue +
pole75.rawValue + pole78.rawValue + pole81.rawValue + pole84.rawValue +
pole87.rawValue + pole90.rawValue + pole93.rawValue script>
    </calculate>
</field>
<field name="pole95">
    <ui>
        <numericEdit hScrollPolicy="off">
            </numericEdit>
        </ui>
    </format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole96">
    <ui>
        <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
</field>
<field name="pole98">
    <ui>
        <textEdit hScrollPolicy="off">
            <comb numberOfCells="8"/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole100">
    <ui>
        <textEdit hScrollPolicy="off">
            </textEdit>
        </ui>
</field>
<field name="pole102">
    <ui>
        <textEdit hScrollPolicy="off">
            <comb numberOfCells="8"/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>

```

Załącznik nr 12  
do uchwały Nr  
Rady Miasta Krakowa  
z dnia

**Układ informacji i powiązań między nimi w deklaracji DN-1/A Załącznik do deklaracji  
na podatek od nieruchomości DN-1 dane dotyczące przedmiotów opodatkowania  
w formacie danych XML**

```
<subform name="topmostSubform" layout="tb" locale="pl_PL">
  <pageSet>
    <pageArea id="PageArea1" name="PageArea1">
      <field name="pole1_NIP">
        <ui>
          </textEdit>
        </ui>
        <value>
          <text maxChars="10"/>
        </value>
      </field>
      <field name="pole2">
        <ui>
          </textEdit>
        </ui>
        <value>
          <text maxChars="10"/>
        </value>
      </field>
      <field name="pole3">
        <ui>
          </textEdit>
        </ui>
        <value>
          <text maxChars="4"/>
        </value>
      </field>
      <field name="pole4">
        <ui>
          </textEdit>
        </ui>
        <value>
          <text maxChars="2"/>
        </value>
      </field>
      <field name="pole5">
        <ui>
          </textEdit>
        </ui>
      </field>
      <field name="pole6">
        <ui>
          </textEdit>
        </ui>
      </field>
      <field name="pole11">
        <ui>
          </textEdit>
        </ui>
      </field>
      <field name="pole12">
        <ui>
          </textEdit>
        </ui>
      </field>
      <field name="pole7">
        <ui>
```

```
        </textEdit>
    </ui>
</field>
<ui>
    </textEdit>
</ui>
</field>
<field name="pole8">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole14">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole9">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole15">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole10">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole16">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole17">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole22">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole23">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole18">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole24">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole19">
    <ui>
        </textEdit>
    </ui>
</field>
```

```
</ui>
</field>
<field name="pole25">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole20">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole26">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole21">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole27" >
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole28">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole33">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole34">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole29">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole35">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole30">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole36">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole31">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</ui>
</field>
<field name="pole37">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole32">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole38">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole39">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole44">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole45">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole40">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole46">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole41">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole47">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole42">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole48">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole43">
  <ui>
    </numericEdit>
  </ui>
</field>
```

```
</ui>
<format>
  <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
</field>
<field name="pole49">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole50">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole55">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole56">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole51">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole57">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole52">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole58">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole53">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole59">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole54">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole60">
  <ui>
    </textEdit>
  </ui>
</field>
```



```
<field name="pole61">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole66">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole67">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole62">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole68">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole63">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole69">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole64">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole70">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole65">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole71">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole72">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole77">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
<field name="pole78">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole73">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole79">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole74">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole80">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole75">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole81">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole76">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole82">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole83">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole88">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole89">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole84">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
<field name="pole90">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole85">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole91">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole86">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole92">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole87">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole93">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole104">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole115">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole126">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole94">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole105">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole116">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
<field name="pole127">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole99">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole110">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole121">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole132">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole100">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole111">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole122">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole133">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole95">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole106">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole117">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole128">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole101">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</ui>
</field>
<field name="pole112">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole123">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole134">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole96">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole107">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole118">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole129">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole102">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole113">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole124">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole135">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole97">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole108">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole119">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole130">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole103">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole114">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole125">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole136">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole98">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole109">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole120">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole131">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
```

Załącznik nr 13  
do uchwały Nr  
Rady Miasta Krakowa  
z dnia

**Układ informacji i powiązań między nimi w deklaracji DN-1/B Załącznik do deklaracji  
na podatek od nieruchomości dla podatników korzystających ze zwolnień na mocy  
ustawy o podatkach i opłatach lokalnych w formacie danych XML**

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/">
<template baseProfile="interactiveForms" xmlns="http://www.xfa.org/schema/xfa-
template/2.5/">
  <subform name="topmostSubform" layout="tb" locale="pl_PL">
    <pageSet>
      <pageArea id="PageArea1" name="PageArea1">
        <field name="pole1_NIP">
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole2_Numer_karty" >
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole3_ROK" " access="readOnly">
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="4"></text>
          </value>
        </field>
        <field name="P5_1">
          <ui>
            </checkbox>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        </field>
        <field name="P5_2">
          <ui>
            </checkbox>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        </field>
      </pageSet>
    </subform>
  </template>
</xdp:xdp>
</?xfa>
</?xml>
```

```
</field>
<field name="P5_2_miesiac_rok">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="6"/>
  </value>
</field>
<field name="P5_3">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="P5_4">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="P5_5">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="P5_5_miesiac_rok">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="6"/>
  </value>
</field>
<field name="P6_1">
  <ui>
    </checkbox>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="P6_2">
  <ui>
    </checkbox>
```



```
</ui>
<value>
  <text>Off</text>
</value>
<items>
  <text>Tak</text>
  <text>Off</text>
</items>
</field>
<field name="pole7_NIP">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="10"/>
  </value>
</field name="pole8_PESEL">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="11"/>
  </value>
</field>
<field name="pole9">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole10">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole11">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole12">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole13">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole14">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole15" >
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole16">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole17">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</field>
<field name="pole18">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole19">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole20">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole21" >
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole22">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole23">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole24">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole25">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole26">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole27">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole28">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole29">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole30">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole31">
  <ui>
```

```

        </textEdit>
    </ui>
</field>
<field name="pole32">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole33">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole34">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole35">
    <ui>
        </textEdit>
    </ui>
</field>
    <?templateDesigner expand 1?></subform>
<subform name="Page2">
    <field name="pole36">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole37" presence="hidden">
        <ui>
            <margin/>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <value>
            <float>0,77</float>
        </value>
    </field>
    <field name="pole38">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole36.rawValue * pole37.rawValue;</script>
        </calculate>
    </field>
    <field name="pole39">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
        </format>
    </field>
    <field name="pole40" presence="hidden">
        <ui>
            </numericEdit>

```

```

    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>0,34</float>
    </value>
  </field>
  <field name="pole41">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole39.rawValue * pole40.rawValue;</script>
    </calculate>
  </field>
  <field name="pole42">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole43" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>0,67</float>
    </value>
  </field>
  <field name="pole44">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole42.rawValue * pole43.rawValue;</script>
    </calculate>
  </field>
  <field name="pole45">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole46" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>0,67</float>

```

```

    </value>
</field>
<field name="pole47">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole45.rawValue * pole46.rawValue;</script>
  </calculate>
</field>
<field name="pole48">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole49" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <value>
    <float>0,25</float>
  </value>
</field>
<field name="pole50">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole48.rawValue * pole49.rawValue;</script>
  </calculate>
</field>
<field name="pole51">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole52" presence="hidden">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <value>
    <float>3,81</float>
  </value>
</field>
<field name="pole53" >
  <ui>
    </numericEdit>
  </ui>

```

```

    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole51.rawValue * pole52.rawValue;</script>
    </calculate>
  </field>
  <field name="pole54" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole55" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>0,34</float>
    </value>
  </field>
  <field name="pole56" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole54.rawValue * pole55.rawValue;</script>
    </calculate>
  </field>
  <field name="pole57" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole58" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>0,64</float>
    </value>
  </field>
  <field name="pole59" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole57.rawValue * pole58.rawValue;</script>

```

```

        </calculate>
</field>
    <field name="pole60" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole61" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <value>
            <float>20,62</float>
        </value>
    </field>
    <field name="pole62" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole61.rawValue * pole60.rawValue;</script>
        </calculate>
    </field>
    <field name="pole63" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole64" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <value>
            <float>8,78</float>
        </value>
    </field>
    <field name="pole65" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole63.rawValue * pole64.rawValue;</script>
        </calculate>
    </field>
    <field name="pole66" >
        <ui>
            </numericEdit>
        </ui>

```

```

    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole67" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>8,78</float>
    </value>
  </field>
  <field name="pole68" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole67.rawValue * pole66.rawValue;</script>
    </calculate>
  </field>
  <field name="pole69" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole70" " presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>17,55</float>
    </value>
  </field>
  <field name="pole71" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole70.rawValue * pole69.rawValue;</script>
    </calculate>
  </field>
  <field name="pole72" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole73" presence="hidden">
    <ui>

```



```

        </textEdit>
    </ui>
    <value>
        <text>9,73</text>
    </value>
</field>
<field name="pole74" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole72.rawValue * pole73.rawValue;</script>
    </calculate>
</field>
<field name="pole75" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole76" " presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>1,78</float>
    </value>
</field>
<field name="pole77" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole76.rawValue * pole75.rawValue;</script>
    </calculate>
</field>
<field name="pole78" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole79" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>6,58</float>
    </value>
</field>

```

```

<field name="pole80" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole79.rawValue * pole78.rawValue;</script>
  </calculate>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page3" >
  <field name="pole81" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole82" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>10,97</float>
    </value>
  </field>
  <field name="pole83" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole82.rawValue * pole81.rawValue;</script>
    </calculate>
  <field name="pole84" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole85" presence="hidden">
    <ui>
      </textEdit>
    </ui>
    <value>
      <text>6,55</text>
    </value>
  </field>
  <field name="pole86" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>

```

```

        <script contentType="application/x-javascript">this.rawValue =
pole85.rawValue * pole84.rawValue;</script>
    </calculate>
</field>
<field name="pole87" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole88" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,02</float>
    </value>
</field>
<field name="pole89" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole88.rawValue * pole87.rawValue;</script>
    </calculate>
</field>
<field name="pole90" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
<field name="pole91" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,001</float>
    </value>
</field>
<field name="pole92" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole90.rawValue * pole91.rawValue;</script>
    </calculate>
</field>
    <field name="pole93">
    <ui>
        <numericEdit hScrollPolicy="off">

```

```

        </numericEdit>
    </ui>
</format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole38.rawValue + pole41.rawValue + pole44.rawValue + pole47.rawValue +
pole50.rawValue + pole53.rawValue + pole56.rawValue + pole59.rawValue +
pole62.rawValue + pole65.rawValue + pole68.rawValue + pole71.rawValue +
pole74.rawValue + pole77.rawValue + pole80.rawValue + pole83.rawValue +
pole86.rawValue + pole89.rawValue + pole92.rawValue + pole95.rawValue;</script>
    </calculate>
</field>
<field name="pole94">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole95">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole96">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole97">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole98">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole99">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole100">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole101">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole102">
    <ui>
        </textEdit>
    </ui>
</field>
</field>

```

```
<field name="pole103">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole104">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole105">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole106">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole107">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole108">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole109">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole110">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole111">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole112">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole113">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole114">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole115">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole116">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</ui>
</field>
<field name="pole117">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole118">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole119">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole120">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole121">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole122">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole123">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole124">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole125">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole126">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole127">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole128">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole129">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole130">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole131">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole132">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole133">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole134">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole135">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole136">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole137">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole138">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole139">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole140">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole141">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole142">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole143">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</field>
<field name="pole144">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole145">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole146">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole147">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole148">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole149">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole150">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole151">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole152">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole153">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole154">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole155">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole156">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole157">
  <ui>
```



```
        </textEdit>
      </ui>
    </field>
<field name="pole158">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole159">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole160">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole161">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole162">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole163">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole164">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole162">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole165">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole166">
  <ui>
    </textEdit>
  </ui>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page4" >
  <field name="pole165">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole166">
    <ui>
      </textEdit>
    </ui>
  </field>
  <field name="pole167">
    <ui>
      </textEdit>
    </ui>
  </field>
</subform>
```

```
</ui>
</field>
<field name="pole168">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole169">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole170">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole171">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole172">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole173">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole174">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole175">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole176">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole177">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole178">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole179">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole180">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole181">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole182">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole183">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole184">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole185">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole186">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole187">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole189">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole190" >
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole192">
  <ui>
    </textEdit>
  </ui>
</field>
```

Załącznik nr 14  
do uchwały Nr  
Rady Miasta Krakowa  
z dnia

**Układ informacji i powiązań między nimi w deklaracji DN-1/C Załącznik do deklaracji  
na podatek od nieruchomości dla podatników korzystających ze zwolnień na mocy  
uchwał Rady Miasta Krakowa w formacie danych XML**

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
<xdp:xdp xmlns:xdp="http://ns.adobe.com/xdp/">
<template baseProfile="interactiveForms" xmlns="http://www.xfa.org/schema/xfa-
template/2.5/">
  <subform name="topmostSubform" layout="tb" locale="pl_PL">
    <pageSet>
      <pageArea id="PageArea1" name="PageArea1">
        <field name="pole1_NIP">
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole2_Numer_karty" >
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="10"/>
          </value>
        </field>
        <field name="pole3_ROK" " access="readOnly">
          <ui>
            </textEdit>
          </ui>
          <value>
            <text maxChars="4"></text>
          </value>
        </field>
        <field name="P5_1">
          <ui>
            </checkbox>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        </field>
        <field name="P5_2">
          <ui>
            </checkbox>
          </ui>
          <value>
            <text>Off</text>
          </value>
          <items>
            <text>Tak</text>
            <text>Off</text>
          </items>
        </field>
      </pageSet>
    </subform>
  </template>
</xdp:xdp>
</?xfa>
</?xml>
```

```
</field>
<field name="P5_2_miesiac_rok">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="6"/>
  </value>
</field>
<field name="P5_3">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="P5_4">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="P5_5">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="P5_5_miesiac_rok">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="6"/>
  </value>
</field>
<field name="P6_1">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="P6_2">
  <ui>
    </checkboxButton>
```

```
</ui>
<value>
  <text>Off</text>
</value>
<items>
  <text>Tak</text>
  <text>Off</text>
</items>
</field>
<field name="pole7_NIP">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="10"/>
  </value>
</field>
<field name="pole8_PESEL">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="11"/>
  </value>
</field>
<field name="pole9">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole10">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole11">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole12">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole13">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole14">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole15" >
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole16">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole17">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</field>
<field name="pole18">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole19">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole20">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole21" >
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole22">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole23">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole24">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole25">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole26">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole27">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole28">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole29">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole30">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole31">
  <ui>
```

```

        </textEdit>
    </ui>
</field>
<field name="pole32">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole33">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole34">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole35">
    <ui>
        </textEdit>
    </ui>
</field>
    <?templateDesigner expand 1?></subform>
<subform name="Page2">
    <field name="pole36">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole37" presence="hidden">
        <ui>
            <margin/>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <value>
            <float>0,77</float>
        </value>
    </field>
    <field name="pole38">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole36.rawValue * pole37.rawValue;</script>
        </calculate>
    </field>
    <field name="pole39">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole40" presence="hidden">
        <ui>
            </numericEdit>

```



```

    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>0,34</float>
    </value>
  </field>
  <field name="pole41">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole39.rawValue * pole40.rawValue;</script>
    </calculate>
  </field>
  <field name="pole42">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole43" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>0,67</float>
    </value>
  </field>
  <field name="pole44">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole42.rawValue * pole43.rawValue;</script>
    </calculate>
  </field>
  <field name="pole45">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole46" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>0,67</float>

```

```

        </value>
    </field>
    <field name="pole47">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole45.rawValue * pole46.rawValue;</script>
        </calculate>
    </field>
    <field name="pole48">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole49" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <value>
            <float>0,25</float>
        </value>
    </field>
    <field name="pole50">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole48.rawValue * pole49.rawValue;</script>
        </calculate>
    </field>
    <field name="pole51">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
        </format>
    </field>
    <field name="pole52" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <value>
            <float>3,81</float>
        </value>
    </field>
    <field name="pole53" >
        <ui>
            </numericEdit>
        </ui>

```

```

    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole51.rawValue * pole52.rawValue;</script>
    </calculate>
  </field>
  <field name="pole54" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole55" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>0,34</float>
    </value>
  </field>
  <field name="pole56" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole54.rawValue * pole55.rawValue;</script>
    </calculate>
  </field>
  <field name="pole57" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole58" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>0,64</float>
    </value>
  </field>
  <field name="pole59" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole57.rawValue * pole58.rawValue;</script>

```

```

        </calculate>
</field>
    <field name="pole60" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole61" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <value>
            <float>20,62</float>
        </value>
    </field>
    <field name="pole62" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole61.rawValue * pole60.rawValue;</script>
        </calculate>
    </field>
    <field name="pole63" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
    <field name="pole64" presence="hidden">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <value>
            <float>8,78</float>
        </value>
    </field>
    <field name="pole65" >
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
        <calculate>
            <script contentType="application/x-javascript">this.rawValue =
pole63.rawValue * pole64.rawValue;</script>
        </calculate>
    </field>
    <field name="pole66" >
        <ui>
            </numericEdit>
        </ui>

```

```

    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole67" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>8,78</float>
    </value>
  </field>
  <field name="pole68" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole67.rawValue * pole66.rawValue;</script>
    </calculate>
  </field>
  <field name="pole69" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole70" " presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
      <float>17,55</float>
    </value>
  </field>
  <field name="pole71" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole70.rawValue * pole69.rawValue;</script>
    </calculate>
  </field>
  <field name="pole72" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole73" presence="hidden">
    <ui>

```

```

        </textEdit>
    </ui>
    <value>
        <text>9,73</text>
    </value>
</field>
<field name="pole74" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole72.rawValue * pole73.rawValue;</script>
    </calculate>
</field>
<field name="pole75" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole76" " presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>1,78</float>
    </value>
</field>
<field name="pole77" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole76.rawValue * pole75.rawValue;</script>
    </calculate>
</field>
<field name="pole78" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
</field>
<field name="pole79" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
    <value>
        <float>6,58</float>
    </value>
</field>

```

```

<field name="pole80" >
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
  <calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole79.rawValue * pole78.rawValue;</script>
  </calculate>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page3" >
  <field name="pole81" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole82" presence="hidden">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
      <float>10,97</float>
    </value>
  </field>
  <field name="pole83" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
      <script contentType="application/x-javascript">this.rawValue =
pole82.rawValue * pole81.rawValue;</script>
    </calculate>
  <field name="pole84" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole85" presence="hidden">
    <ui>
      </textEdit>
    </ui>
    <value>
      <text>6,55</text>
    </value>
  </field>
  <field name="pole86" >
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>

```

```

        <script contentType="application/x-javascript">this.rawValue =
pole85.rawValue * pole84.rawValue;</script>
    </calculate>
</field>
<field name="pole87" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
</field>
<field name="pole88" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,02</float>
    </value>
</field>
<field name="pole89" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole88.rawValue * pole87.rawValue;</script>
    </calculate>
</field>
<field name="pole90" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
<field name="pole91" presence="hidden">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <value>
        <float>0,001</float>
    </value>
</field>
<field name="pole92" >
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
    <calculate>
        <script contentType="application/x-javascript">this.rawValue =
pole90.rawValue * pole91.rawValue;</script>
    </calculate>
</field>
    <field name="pole93">
    <ui>
        <numericEdit hScrollPolicy="off">

```



```

        </numericEdit>
    </ui>
</format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
<calculate>
    <script contentType="application/x-javascript">this.rawValue =
pole38.rawValue + pole41.rawValue + pole44.rawValue + pole47.rawValue +
pole50.rawValue + pole53.rawValue + pole56.rawValue + pole59.rawValue +
pole62.rawValue + pole65.rawValue + pole68.rawValue + pole71.rawValue +
pole74.rawValue + pole77.rawValue + pole80.rawValue + pole83.rawValue +
pole86.rawValue + pole89.rawValue + pole92.rawValue + pole95.rawValue;</script>
    </calculate>
</field>
<field name="pole94">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole95">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole96">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole97">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole98">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole99">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole100">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole101">
    <ui>
        </textEdit>
    </ui>
</field>
</field>
<field name="pole102">
    <ui>
        </textEdit>
    </ui>
</field>
</field>

```

```
<field name="pole103">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole104">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole105">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole106">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole107">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole108">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole109">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole110">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole111">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole112">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole113">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole114">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole115">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole116">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</ui>
</field>
<field name="pole117">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole118">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole119">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole120">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole121">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole122">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole123">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole124">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole125">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole126">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole127">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole128">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole129">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole130">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole131">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole132">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole133">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole134">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole135">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole136">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole137">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole138">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole139">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole140">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole141">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole142">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole143">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</field>
<field name="pole144">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole145">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole146">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole147">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole148">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole149">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole150">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole151">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole152">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole153">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole154">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole155">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole156">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole157">
  <ui>
```

```
        </textEdit>
    </ui>
</field>
<field name="pole158">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole159">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole160">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole161">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole162">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole163">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole164">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole162">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole165">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole166">
    <ui>
        </textEdit>
    </ui>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page4" >
    <field name="pole165">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole166">
        <ui>
            </textEdit>
        </ui>
    </field>
    <field name="pole167">
        <ui>
            </textEdit>
        </ui>
    </field>
</subform>
```

```
</ui>
</field>
<field name="pole168">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole169">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole170">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole171">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole172">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole173">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole174">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole175">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole176">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole177">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole178">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole179">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole180">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole181">
```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole182">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole183">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole184">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole185">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole186">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole187">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole189">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole190" >
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole192">
  <ui>
    </textEdit>
  </ui>
</field>
```



Załącznik nr 15  
do uchwały Nr  
Rady Miasta Krakowa  
z dnia

### Układ informacji i powiązań między nimi w deklaracji DR-1 Deklaracja na podatek rolny w formacie danych XML

```
<?xml version="1.0" encoding="UTF-8"?>
  </pageSet>
  <subform name="Page1" >
    <field name="pole1_NIP">
      <ui>
        </textEdit>
      </ui>
      <value>
        <text maxChars="10"/>
      </value>
    </field>
    <field name="pole1_NIP">
      <ui>
        </textEdit>
      </ui>
      <value>
        <text maxChars="10"/>
      </value>
    </field>
    <field name="pole2_Numer_karty">
      <ui>
        </textEdit>
      </ui>
      <value>
        <text maxChars="10"/>
      </value>
    </field>
    <field name="pole3_ROK" access="readOnly">
      <ui>
        </textEdit>
      </ui>
      <value>
        <text maxChars="4"></text>
      </value>
    </field>
    <field name="P5_1">
      <ui>
        </checkboxButton>
      </ui>
      <value>
        <text>Off</text>
      </value>
      <items>
        <text>Tak</text>
        <text>Off</text>
      </items>
    </field>
    <field name="P5_3">
      <ui>
        </checkboxButton>
      </ui>
      <value>
        <text>Off</text>
      </value>
      <items>
        <text>Tak</text>
        <text>Off</text>
      </items>
    </field>
  </subform>
</pageSet>
```

```

    </items>
<field name="P5_5">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P5_2">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P5_4">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
<field name="P5_2_miesiac_rok">
  <ui>
    <comb numberOfCells="6"/>
  </textEdit>
</ui>
  <value>
    <text maxChars="6"/>
  </value>
<field name="P5_5_miesiac_rok">
  <ui>
    <comb numberOfCells="6"/>
  </textEdit>
</ui>
  <value>
    <text maxChars="6"/>
  </value>
<field name="P6_1">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>
<field name="P6_2">
  <ui>
    </checkboxButton>
  </ui>
  <value>
    <text>Off</text>
  </value>
  <items>
    <text>Tak</text>
    <text>Off</text>
  </items>
</field>

```

```
</value>
<items>
  <text>Tak</text>
  <text>Off</text>
</items>
</field>
<field name="pole11_PESEL">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="11"/>
  </value>
</field>
<field name="pole9">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole11">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole10_REGON">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole12">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole13">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole14">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole15">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole16">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole17">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole18">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole19">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</field>
<field name="pole20">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole21">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole22">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole23">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole24">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole25">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole26">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole27">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole28">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole29">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole30">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole31">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole32">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole33">
  <ui>
```

```
        </textEdit>
    </ui>
</field>
<field name="pole34">
    <ui>
        </textEdit>
    </ui>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page2" >
    <field name="pole35">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
        </format>
    </field>
    <field name="pole36">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
        </format>
    </field>
    <field name="pole40">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
        </format>
    </field>
    <field name="pole41">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
        </format>
    </field>
    <field name="pole38">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
        </format>
    </field>
    <field name="pole39">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
        </format>
    </field>
    <field name="pole42">
        <ui>
            </numericEdit>
        </ui>
        <format>
            <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
        </format>
    </field>
    <field name="pole43">
        <ui>
```

```
        </numericEdit>
    </ui>
</format>
    <picture>num(de) {zzz,zzz,zzz,zzz,zz9.9999}</picture>
</format>
</field>
<field name="pole44">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole45">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole46">
    <ui>
        </numericEdit>
    </ui>
</format>
    <picture>num(de) {zzz,zzz,zzz,zzz,zz9.9999}</picture>
</format>
</field>
<field name="pole47">
    <ui>
        <textEdit multiLine="1" vScrollPolicy="off" hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole48">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole49">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole50">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole51">
    <ui>
        </numericEdit>
    </ui>
</format>
    <picture>num(de) {zzz,zzz,zzz,zzz,zz9.9999}</picture>
</format>
</field>
<field name="pole52">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole53">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole54">
    <ui>
        </numericEdit>
    </ui>
</format>
```

```
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole55">
    <ui>
        <textEdit multiLine="1" vScrollPolicy="off" hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole56">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole57">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole58">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole59">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole60">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole61">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole62">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole63">
    <ui>
        <textEdit multiLine="1" vScrollPolicy="off" hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole64">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole65">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole66">
    <ui>
```

```
        </textEdit>
    </ui>
</field>
<field name="pole67">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole68">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole69">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole70">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole71">
    <ui>
        <textEdit multiLine="1" vScrollPolicy="off" hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole72">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole73">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole74">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole75">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole76">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole77">
    <ui>
        </textEdit>
    </ui>
</field>
```



```
<field name="pole78">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole79">
  <ui>
    <textEdit multiLine="1" vScrollPolicy="off" hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole80">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole81">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole82">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole83">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole84">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole85">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole86">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole87">
  <ui>
    <textEdit multiLine="1" vScrollPolicy="off" hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole88">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole89">
  <ui>
```

```
        </textEdit>
    </ui>
</field>
<field name="pole90">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole91">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole92">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole93">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole94">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole95">
    <ui>
        <textEdit multiLine="1" vScrollPolicy="off" hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole96">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole97">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole98">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole99">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
</field>
<field name="pole100">
    <ui>
        </textEdit>
    </ui>
</field>
```

```
<field name="pole101">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole102">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole103">
  <ui>
    <textEdit multiLine="1" vScrollPolicy="off" hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole104">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole105">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole106">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole107">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole108">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole109">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole110">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole111">
  <ui>
    <textEdit multiLine="1" vScrollPolicy="off" hScrollPolicy="off">
    </textEdit>
  </ui>
</field>
<field name="pole112">
  <ui>
```

```
        </textEdit>
    </ui>
</field>
<field name="pole113">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole114">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole115">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
</field>
<field name="pole116">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole117">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole118">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
</field>
<field name="pole119">
    <ui>
        <textEdit multiLine="1" vScrollPolicy="off" hScrollPolicy="off">
        </textEdit>
    </ui>
</field>
<field name="pole120">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole121">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole122">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole123">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
</field>
```

```
<field name="pole124">
  <ui>
    <textEdit multiLine="1" vScrollPolicy="off" hScrollPolicy="off">
      </textEdit>
    </ui>
  </field>
  <?templateDesigner expand 1?></subform>
<subform name="Page3">
  <field name="pole125">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(en) {zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
  </field>
  <field name="pole126" x="">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole127">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(en) {zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
  </field>
  <field name="pole128" x="">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole129">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(en) {zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
  </field>
  <field name="pole130" x="">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) {zzz,zzz,zzz,zzz,zz9.99}</picture>
    </format>
  </field>
  <field name="pole131">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(en) {zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
  </field>
  <field name="pole132" x="">
    <ui>
      </numericEdit>
    </ui>
  </field>
</subform>
```

```
<format>
  <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole133">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole134" x="">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole135">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole136" x="">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole137">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole138" x="">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole139">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole140" x="">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
```

```
<field name="pole141">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole142" x="">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole143">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole144" x="">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole145">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole146" x="">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole147">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole148" x="">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole149">
  <ui>
    </numericEdit>
  </ui>
</field>
```

```
<format>
  <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
</format>
</field>
<field name="pole150" x=">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole151">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole152" x=">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole153">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole154" x=">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole155">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole156" x=">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole157">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
```



```
<field name="pole158" x=">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole159">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole160" x=">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole161">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole162" x=">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole163">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole164" x=">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
  </format>
</field>
<field name="pole165">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole166" x=">
  <ui>
    </numericEdit>
  </ui>
```

```
<format>
  <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
</format>
</field>
<field name="pole167">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(en){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole168" x="">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole169">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole170">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole171" >
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole173">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole174">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole175">
  <ui>
    </textEdit>
  </ui>
  <value>
    <text maxChars="8"/>
  </value>
</field>
<field name="pole177">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole178">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole179">
  <ui>
```

```
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
```

Załącznik nr 16  
do uchwały Nr  
Rady Miasta Krakowa  
z dnia

## Układ informacji i powiązań między nimi w deklaracji DL-1 Deklaracja na podatek leśny w formacie danych XML

```
<?xml version="1.0" encoding="UTF-8"?>
<?xfa generator="AdobeLiveCycleDesigner_V8.0" APIVersion="2.5.6290.0"?>
  <subform name="topmostSubform" layout="tb" locale="pl_PL">
    <pageSet>
      <pageArea id="PageArea1" name="PageArea1">
        <subform name="Page1">
          <field name="pole1_NIP">
            <ui>
              </textEdit>
            </ui>
            <value>
              <text maxChars="10"/>
            </value>
          </field>
          <field name="pole1_NIP">
            <ui>
              </textEdit>
            </ui>
            <value>
              <text maxChars="10"/>
            </value>
          </field>
          <field name="pole2_Numer_karty">
            <ui>
              </textEdit>
            </ui>
            <value>
              <text maxChars="10"/>
            </value>
          </field>
          <field name="pole3_ROK" access="readOnly">
            <ui>
              </textEdit>
            </ui>
            <value>
              <text maxChars="4"></text>
            </value>
          </field>
          <field name="P5_1">
            <ui>
              </checkboxButton>
            </ui>
            <value>
              <text>Off</text>
            </value>
            <items>
              <text>Tak</text>
              <text>Off</text>
            </items>
          </field>
          <field name="P5_3">
            <ui>
              </checkboxButton>
            </ui>
            <value>
              <text>Off</text>
            </value>
          </field>
        </subform>
      </pageArea>
    </pageSet>
  </subform>

```

```

        <items>
            <text>Tak</text>
            <text>Off</text>
        </items>
<field name="P5_5">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_2">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_4">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
<field name="P5_2_miesiac_rok">
    <ui>
        <comb numberOfCells="6"/>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
<field name="P5_5_miesiac_rok">
    <ui>
        <comb numberOfCells="6"/>
    </ui>
    <value>
        <text maxChars="6"/>
    </value>
<field name="P6_1">
    <ui>
        </checkbox>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P6_2">
    <ui>
        </checkbox>
    </ui>

```

```

    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P6_3">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="P6_4">
    <ui>
        </checkboxButton>
    </ui>
    <value>
        <text>Off</text>
    </value>
    <items>
        <text>Tak</text>
        <text>Off</text>
    </items>
</field>
<field name="pole11_PESEL">
    <ui>
        <margin/>
        </textEdit>
    </ui>
    <value>
        <text maxChars="11"/>
    </value>
</field>
<field name="pole8">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole9">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole10_REGON">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole12">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole13">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole14">

```

```
<ui>
  </textEdit>
</ui>
</field>
<field name="pole15">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole16">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole17">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole18">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole19">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole20">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole21">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole22">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole23">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole24">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole25">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole26">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole27">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
</field>
<field name="pole28">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole29">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole30">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole31">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole32">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole33">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole34">
  <ui>
    </textEdit>
  </ui>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page2">
  <field name="pole35">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
  </field>
  <field name="pole38">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
  </field>
  <field name="pole37">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
  </field>
  <field name="pole40">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.9999}</picture>
    </format>
  </field>
</subform>
```



```
</format>
</field>
<field name="pole41">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole42">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole43">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole44">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole45">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole46">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole47">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole48">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole49">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole50">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole51">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole52">
  <ui>
    </textEdit>
  </ui>
</field>
```

```
<field name="pole53">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole54">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole55">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole56">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole57">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole58">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole59">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole60">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole61">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de) {zzz, zzz, zzz, zzz, zz9.9999}</picture>
  </format>
</field>
<field name="pole62">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole63">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole64">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole65">
  <ui>
```

```
        </textEdit>
    </ui>
</field>
<field name="pole66">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole67">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole68">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
</field>
<field name="pole69">
    <ui>
        </textEdit>
    </ui>
</field>

<field name="pole70">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole71">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole72">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole73">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole74">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole75">
    <ui>
        </numericEdit>
    </ui>
    <format>
        <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
    </format>
</field>
<field name="pole76">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole77">
    <ui>
        </textEdit>
```

```
</ui>
</field>
<field name="pole78">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole79">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole80">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole81">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole82">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole83">
  <ui>
    </textEdit>
  </ui>
</field>
<field name="pole84">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.9999}</picture>
  </format>
</field>
<field name="pole85">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole86">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole87">
  <ui>
    </numericEdit>
  </ui>
  <format>
    <picture>num(de){zzz,zzz,zzz,zzz,zz9.99}</picture>
  </format>
</field>
<field name="pole88">
```

```
<ui>
  </numericEdit>
</ui>
<format>
  <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
</format>
</field>
<?templateDesigner expand 1?></subform>
<subform name="Page3">
  <field name="pole89">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole90">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole91">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole92">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole93">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole94">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole95">
    <ui>
      </numericEdit>
    </ui>
    <format>
      <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
    </format>
  </field>
  <field name="pole96">
    <ui>
      </numericEdit>
```

```
        </ui>
        <format>
            <picture>num(de) { zzz, zzz, zzz, zzz, zz9.99}</picture>
        </format>
    </field>
<field name="pole97">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole98" x>
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole99">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole101">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole102" x>
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole103">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
<field name="pole05">
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole106" x>
    <ui>
        </textEdit>
    </ui>
</field>
<field name="pole107">
    <ui>
        </textEdit>
    </ui>
    <value>
        <text maxChars="8"/>
    </value>
</field>
```